


If you'd like to **create your own theme**, here are the exact same steps we use in our protocol to make sure our designs are easy-to-use and pliable.

To Build Your Own SDF Skin:

- **First: Start with the layout settings under SEO Design ➤ Layout tab.**
- In this section, we'll cover how to **set up the layout for the skin.**
- In the layout tab you'll have to perform the following three steps.
- **Step 1. Selecting Page Layout**
Select the page layout from the dropdown options i.e. **Wide or Boxed**.
- **Step 2. Selecting Column Layout for Global Default Settings**
Select columns from the given options according to your design requirements.
- **Step 3. Select the Sidebar Width**
Select the **Width** of the sidebar from the dropdown menu for the **Global Layout**.



The screenshot shows the 'Layout Settings' interface with three steps highlighted by orange arrows and boxes:

- Step 1:** 'Page Layout' dropdown menu is set to 'Wide'. A tooltip explains: 'A fixed website layout has a wrapper that is a fixed width. The layout style will be applied globally, throughout the entire site unless you set custom per page layout in page/post options.'
- Step 2:** 'Columns' section shows various layout options: 'Both Sidebars', 'Right Sidebar', 'Left Sidebar', 'Both (L) Sidebars Left', 'Both (R) Sidebars Right', 'Single No Sidebars' (highlighted with an orange box), and 'Custom Columns'.
- Step 3:** 'Sidebar Widths' dropdown menu is set to 'One Fourth'.

Buttons for 'Save Changes' are visible at the top right and bottom left of the settings area.

- › **Second step: Now go to the header settings under the SEO Design › Header tab**
- › **Header Structure.**

› In this section, we'll cover how to **set up the header for your skin.**


› In the **header** section you'll have to perform the following 2 steps.

› **Step 1. Setting Header Structure**

Here you can easily **Rearrange the Header Blocks** (Logo, Navigation, Slider or Widget Blocks).

You can also drag blocks to the inactive zone below or drag blocks from the inactive zone into the active section.

This is the header section for your skin. You can setup the layout of the header here. By dragging and dropping the sections you can add or remove header blocks to rows. Or, you can rearrange them according to your design.



This is the inactive zone where unused header blocks are placed. You can add them to the header by dragging them back to the upper section (from the inactive zone).

› **Step 2. Logo Settings**

Under the **Logo Settings** chevron you can upload a custom logo or optional logo text and tagline.

Header Structure

Logo Settings

Custom Logo: Image Default Text

Tagline: On Off

Logo Image:

Select logo image

Tagline enable/disable

Select custom logo option. If you want to add a logo/image then select the image option or the default text will show 'Site Title" from General Settings.

Upload custom Logo or Use default Text logo.

Turn Tagline On/Off

Enter an URL or upload an image for the logo.

Current Logo

➤ **Step 3. Additional HTML/CSS**

In this section, you can add your additional CSS/Scripts/Html etc. to the header.

➤ **Third step: Next, go to the first tab called Global Settings under SEO Design Settings tab.**

➤ In this section, we'll cover how to **set the Global Settings for the skin.**

➤ In the header section you'll have to perform the following steps.

➤ **Step 1. Setting Page Title and Breadcrumbs**

Page Title and Breadcrumbs

Turn On/Off Page Title: On Off

Page Title Tag: H1 H2 None

Turn On/Off Breadcrumbs: On Off

Turn On/Off Home link: On Off

Turn On/Off Home Link: On Off

Custom Breadcrumb Home Title:

Custom Breadcrumb Separator:

Turn On/Off Page title globally

Turn Off Breadcrumbs Globally Here (S)

Use this global setting to turn breadcrumbs off or on site wide (default setting is on). Also, you can specify a custom breadcrumb separator, turn the home link on or off or change the home link text to something more SEO friendly.

Disable Home link at the beginning of breadcrumb.

Text used for home link.

Character used to separate your breadcrumbs. Default is ».

➤ **Step 2. Setting Blog page options**

▾ Blog

Post Excerpt Length	<input style="width: 90%;" type="text" value="55"/>	Automatic excerpt length (word count)
Read More Text	<input style="width: 90%;" type="text" value='Read More <i class="fa fa-chev'/>	Custom Excerpt Read More Text(or Icon)
Show Full Posts on Category and Archive pages	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turning Off will keep default excerpt usage.
Turn On/Off Featured Image on Single Posts	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turning On will keep default featured image.
Turn On/Off Featured Image on Category and Archive pages	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turning On will keep default featured image.
Set Title Above or Below Featured Image on Category and Archive pages	<input checked="" type="checkbox"/> Above <input type="checkbox"/> Below	

Settings to customize blog page options.

Related Posts

Show Related Posts on Single Posts	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	
Related Posts Count	<input style="width: 90%;" type="text" value="5"/>	

▾ Turn On/Off Post Meta Data

Toggle the Global Post Meta options here to affect all blog pages.

Turn On/Off Post Format Buttons	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Format Icons globally. Turning Off will hide these Icons from Blog, Archives and Single Posts.
Turn On/Off Post Author Box	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Author Box globally. Turning Off will hide Author Box from Single Posts.
Turn On/Off Post Time	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Time globally. Turning Off will hide Time Data from Blog, Archives and Single Posts Meta Data.
Turn On/Off Post Categories	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Categories globally. Turning Off will hide Categories Data from Blog, Archives and Single Posts Meta Data.
Turn On/Off Post Author	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Author globally. Turning Off will hide Author from Blog, Archives and Single Posts Meta Data.
Turn On/Off Post Tags	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Tags globally. Turning Off will hide Tags Data from Blog, Archives and Single Posts Meta Data.
Turn On/Off Post Comments Count/Link	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Turn on Post Comments Count/Link globally. Turning Off will hide Comments Count/Link Data from Blog, Archives and Single Posts Meta Data.

➤ Step 3. Background Video

Under the background video section you can enable/disable background video (which appears on the local page settings).

▾ Background Video

Enable/Disable Background Video	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	If Enabled, Background Video Script will be loaded.
---------------------------------	---	---

› **Step 4. Page Scroll (Nice Scroll, Smooth Scroll)**

Under this section you can select page scroll options.

☑ Page Scroll (NiceScroll, SmoothScroll)

Default (Native) Scroll / NiceScroll / SmoothScroll

Default

NiceScroll

SmoothScroll

Turning to Default will keep default page scroll functionality.

› **Step 5. Lightbox (Modal)**

Under this section you can enable/disable lightbox, animation type and lightbox size

☑ Lightbox (Modal)

Turn On/Off Lightbox On Off

Turn on lightbox functionality globally. Turning Off will disable All lightboxes.

Global Lightbox Entrance Animation Type Default

Global Lightbox Size Default

› **Step 6. Entrance Animations**

Under this section you can turn on/off default entrance animations and featured images animation effects settings.

☑ Entrance Animations

Turn On/Off Animations On Off

Turn on animations functionality globally. Turning Off will disable loading of a script.

Default Animation Duration Default

Featured Image

Featured Image Animations On Off

Turn on animations on Featured Images. Turning Off will disable All Featured Image animations.

Featured Image Animation Type fadeIn

Featured Image Animation Duration Default

› **Step 7. Favicon and Touch Icons**

Under this section you can upload your website's favicon.

Favicon and Touch Icons

Favicon	<input type="text"/>	<input type="button" value="Upload Image"/>	Favicon image should be 16px x 16px
Apple Touch Icon 57	<input type="text"/>	<input type="button" value="Upload Image"/>	Apple Touch Icon image should be 57px x 57px
Apple Touch Icon 72	<input type="text"/>	<input type="button" value="Upload Image"/>	Apple Touch Icon image should be 72px x 72px
Apple Touch Icon 114	<input type="text"/>	<input type="button" value="Upload Image"/>	Apple Touch Icon image should be 114px x 114px
Apple Touch Icon 144	<input type="text"/>	<input type="button" value="Upload Image"/>	Apple Touch Icon image should be 144px x 144px

- **Step 7. Social Media Follow Buttons (Use widget to place them on pages).**
Under this section you can add **Social media follow** button links to your social properties.

Social Media Follow Buttons

These buttons serve to promote your business' presence on various social networks and help you generate fans/followers for those particular accounts. By placing these buttons on your business' website, you can help to create visibility for your social media accounts and easily extend your reach there.

<div style="border: 2px solid orange; padding: 5px; display: inline-block;"> Add social media follow buttons links here. </div>	Behance	<input type="text"/>	Your Behance link.
	Codepen	<input type="text"/>	Your Codepen link.
	Digg	<input type="text"/>	Your Digg link.
	Dribbble	<input type="text"/>	Your Dribbble link.
	Dropbox	<input type="text"/>	Your Dropbox link.
	Facebook	<input type="text"/>	Your Facebook link.

- **Step 9. Social Media Share Buttons**
Under this section you can enable/disable all/each social media share button links and default positions.

Social Media Share Buttons

These buttons enable your website visitors and content viewers to easily share your content with their social media connections and networks.

Turn On/Off Social Share Buttons	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	<div style="border: 2px solid orange; padding: 5px; display: inline-block;"> Turn On/Off Social media share buttons </div>	Use this global setting to turn Social Media Follow Buttons off or on site wide (default setting is on).
Social Share Buttons Position	<input checked="" type="checkbox"/> Below Content <input type="checkbox"/> Above Content	<div style="border: 2px solid orange; padding: 5px; display: inline-block;"> Positioning of buttons on blog pages. </div>	Use this global setting to turn Social Media Follow Buttons off or on site wide (default setting is on).
Entrance Animation Type	<input type="text" value="fadeIn"/>		
Entrance Animation Duration	<input type="text" value="Default"/>		
Title	<input type="text" value="Share"/>		
Twitter Handle	<input type="text"/>		needed for Twitter Share link creation.

Enable/Disable Each Share Button

Enable/Disable each share button according to your needs.

Google Plus Share Button	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Use this global setting to turn Google Plus Share Button off or on site wide.
Facebook Share Button	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Use this global setting to turn Facebook Share Button off or on site wide.
Twitter Share Button	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Use this global setting to turn Twitter Share Button off or on site wide.
LinkedIn Share Button	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	Use this global setting to turn LinkedIn Share Button off or on site wide.
Pinterest Share Button	<input type="checkbox"/> On <input checked="" type="checkbox"/> Off	Use this global setting to turn Pinterest Share Button off or on site wide.
Tumblr Share Button	<input type="checkbox"/> On <input checked="" type="checkbox"/> Off	Use this global setting to turn Tumblr Share Button off or on site wide.
VK Share Button	<input type="checkbox"/> On <input checked="" type="checkbox"/> Off	Use this global setting to turn VK Share Button off or on site wide.
Reddit Share Button	<input type="checkbox"/> On <input checked="" type="checkbox"/> Off	Use this global setting to turn Reddit Share Button off or on site wide.
Email Share Button	<input type="checkbox"/> On <input checked="" type="checkbox"/> Off	Use this global setting to turn Email Share Button off or on site wide.

➤ Step 10. WooCommerce

If you're using WooCommerce then you can make changes to products, layout for shop page and related products.

WooCommerce

Change number of columns/products for shop page

Number of columns (products per row) on shop page:

Number of products per page:

Change number of related columns/products for single product page

Number of columns (products per row):

Number of products:

Here you can set no. of products to show in shop page and related products under single product page.

- › **Fourth step:** Next step is to work on settings under SEO Design › Styles tab.
- › In this section, we'll cover how to **customize your styles settings for the skin.**
- › **Step 1. Preset Colors**
Define primary color and create essential color presets.

Presets Colors

Primary Theme Color and Preset Colors

Primary Theme Color is a mandatory as it's used in Bootstrap LESS as @brand-primary

Create dynamic preset colors for your websites' color palette and use inside color pickers, SDF Page Builder modules or styles settings.

Simply change the preset's color picker or hex value here and all variables linked to that preset will dynamically update throughout the framework.

Primary Theme Color #fcd1f5 Presets Colors ⓘ Used also as @brand-primary in Bootstrap LESS

Set Primary Color for the current skin. By setting the primary color you can control the main color for the skin.

Title Color	#2f2f30	Change Remove
Text Color	#2f2f30	Change Remove
White	#ffffff	Change Remove
Grey	#636669	Change Remove
Black	#111111	Change Remove

Create and use color presets to conveniently save time for colors you will use frequently. Once you add a preset, it will be available in dropdowns in fonts and all areas that feature a color picker in the framework.

Existing Presets:

- Nav Drop Bg: #df4f57
- Nav drop link hover: #efa7ab
- Wide Bg: #ffffff
- Footer Bg: #231f20
- Footer Text: #ffffff
- Secondary Btn: #358cb4
- Default btn: #c63d0f

Form to Add New Preset:

New Preset Color: New Color Name: New Hex C:

Callout 1: You can edit or change existing presets here.

Callout 2: You can add a new color preset by giving it a name and hex color. Then click add preset color > then save changes on styles page to save the preset.

Step 2. Google Web Fonts, Default Typography and List Item Styling

Under this section we cover how to Install Google fonts, selecting default fonts and colors for the main content, H1-H6 styles, links and other essential font settings as required.

Navigation: Google Web Fonts | Default Typography | List Styling

Google Font Families Table:

#	Font Name Enter Google Web Font Name Only.	Add / Remove Rows
1	Raleway	<input type="button" value="Remove"/>
2	Google Font Name	<input type="button" value="Remove"/>

Callout 1: Click Here to Add New Google Font.


Callout 2: Please visit [Google Web Fonts](#) for a complete listing of available web fonts. From there, copy the name of the font you wish to use. Then enter the name of the webfont you wish to add.

Callout 3: This box will appear after clicking (1) button. Add your Google font name here and press save changes. New fonts will be added here (like Raleway) which was previously added for this demo.

After adding google font family now you can select default typography tab for font style settings.

Note: Newly added font family will appear in this tab only if you save changes after adding font family in google web fonts tab. Also, you can add weight to fonts e.g. Raleway:500, Raleway:600, etc. to make it thicker. 400 weight is default and you can customize from 100-800 weight. So, just

use Font:700 as an example to get the 700 weight for that font. All changes will appear in the dropdown in all font options in the framework once saved.



Google Web Fonts, Default Typography and List Styling

Google Web Fonts | **Default Typography** | List Styling

Add default font size for skin

Note: Press save changes button when done with settings otherwise your settings will not save.

Default Font


Font Size: 13px (Used also as @font-size-base in Bootstrap LESS)

Font Family: Raleway

Font Color: #40404 (Default font color for skin)

Select Font Family for skin. Your added font families will shown under dropdown option so you can select as per requirement.

Next you need to set default links styles:



Default Links

Link Color: #fc9b11 (Select Default Link Color. The easiest way to modify colors are to create and select preset colors to keep your designs consistent.)

Link Background Color: [Transparent]

Link Text Decoration: None

Link Box Shadow: [None]

Link Box Shadow Color: [None]

Link Transition Properties: all 0.2s ease

Link Hover Color: #40404 (Select Link Hover Color)

Link Hover Background Color: [Transparent]

Link Hover Text Decoration: None

Link Hover Box Shadow: [None]

Link Hover Box Shadow Color: [Transparent]

You can create as many presets as needed and how to create a preset is mentioned in Step 1. Here, we used the primary preset for the default link color.

The transition property is a shorthand property used to represent up to four transition-related longhand properties. You may comma separate value sets to do different transitions on different properties (e.g. "width 2s, height 2s").

Define CSS "text-decoration" property for links on hover/focus

Set preferred font settings for Headings i.e. (H1-H6)

Here are the settings for headings (H1-H6). You can customize your headings based on your preferences. Also, we've included top and bottom margins for headings so when added to

content, there is consistency for top and bottom margins automatically, rather than you having to set them manually at the page level.

H1 Heading

H1 Font Family: Open Sans ← Select heading(H1) font family

H1 Font Size: 36 ← Add font size for heading(H1)

H1 Letter Spacing:

H1 Font Color: #2222 ← Select heading(H1) font color from presets

H1 Font Weight: Normal **Bold** ← Select font weight

H1 Margin Top: 15px

H1 Margin Bottom: 25px ← Set top and bottom margins for heading(H1)

Set list styling under last tab of this section:

Default list styling:

Google Web Fonts, Default Typography and List Styling

Google Web Fonts Default Typography **List Styling**

Set Default List Styles [<u1>](#) This is where you add custom list margin (indent) for bullets and / or list items, 20px is ideal.

List Paddings: 0 0 0 15px

List Margins: 20px

List Items Line Height: 30px Set Line Height for List

List Style: Default None **Square**
Circle Disc

Set the list style to circle or square (so when you add list items in content, they show up styled).

Custom list styling:

Set Custom List Styles `<ul class="list-custom">`

This is where you add custom list margin (indent) for bullets and / or list items, 20px is ideal.

Set Custom List Styles	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Custom List Paddings	<input type="text" value="0 0 0 15px"/>
Custom List Margins	<input type="text" value="20px"/>
Custom List Content Alignment	<input checked="" type="checkbox"/> Left <input type="checkbox"/> Center <input type="checkbox"/> Right <input type="checkbox"/> Justify
Custom List Font Size	<input type="text" value="14px Default"/> <input type="text" value="p:"/>
Custom List Font Family	<input type="text" value="Open Sans:400"/>
Custom List Text Color	<input type="text" value="#222222"/> <input type="color" value="#222222"/> Preset Colors
Custom List Link Color	<input type="text" value="#222222"/> <input type="color" value="#222222"/> Preset Colors
Custom List Link Hover Color	<input type="text" value="#fc9b18"/> <input type="color" value="#fc9b18"/> Preset Colors
Custom List Link Text Decoration	<input type="text" value="None"/> Define CSS "text-decoration" property for Custom List Links
Custom List Link Hover Text Decoration	<input type="text" value="None"/> Define CSS "text-decoration" property for Custom List Links on hover
Custom List Style	<input type="checkbox"/> Default <input checked="" type="checkbox"/> None <input type="checkbox"/> Square <input type="checkbox"/> Circle <input type="checkbox"/> Disc <input type="checkbox"/> FA Icon

Step 3. Wide/Boxed Layout Options

Under this section we cover how to add wide or boxed layouts.

Note: You can add body background image in both wide and boxed backgrounds

For wide layouts:

Wide/Boxed Layout Backgrounds

Wide Layout Settings
Set Wide Layout Body Background

Change Body Background Color: #ffffff

Add Body Background Image: [Input Field]

Body Background Repeat: Center No-Repeat

Boxed Layout Settings
Set Boxed Layout Body Background

Change Body Background Color: #fefefe

Add Body Background Image: [Input Field]

Body Background Repeat: Center No-Repeat

Set Box Background, Margin, Shadow and Border

Change Box Background Color: #ffffff

Add Box Background Image: [Input Field]

Preset Colors:

- Transparent
- Title Color
- Text Color
- White
- Grey
- Black
- Light Grey
- Lighter Grey
- Boxed BG
- Nav Link
- Nav Link Hover
- Nav Bg
- Footer Bg
- Widget Title
- Widget Text
- Body BG
- Primary

Annotations:

- Callout 1: Create preset for body BG so you can manage all color settings from one place i.e. Preset colors settings.
- Callout 2: Color Preset created for body background. You can add hex code manually, however we recommend to make presets for all essential areas.

For boxed layout:

Boxed Layout Settings
Set Boxed Layout Body Background

Change Body Background Color: #fefefe Preset Colors Body Background Color used on Boxed Page Layouts

Add Body Background Image: Upload Image Enter an URL or upload an image for website background.

Body Background Repeat: Center No-Repeat

Set Box Background, Margin, Shadow and Border

Change Box Background Color: #ffffff Preset Colors Box Background Color used on Boxed Page Layouts

Add Box Background Image: Upload Image Enter an URL or upload an image for website background.

Box Background Repeat: Center No-Repeat

Box Top/Bottom Margin: 20px Set value for box top and bottom margin (in pixels) for boxed layout

Box Content Left/Right Padding: 50px Set value for box padding (in pixels) for boxed layout

Box Shadow Values: 0 3px 9px Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px")

Box Shadow Color: #636669 Preset Colors

Box Border Style: none

Box Border Width: 1px Default px

Annotations:

- Select body color for outside the box (points to #fefefe)
- Select Boxed Inner Background Color (points to #ffffff)
- Add top/Bottom margins (points to 20px)
- Box Shadow and border properties (points to shadow and border settings)
- Add Left right content padding under boxed layouts (points to 50px)

➤ Step 3. Page Padding, Page Titles and Breadcrumbs

Under this section we'll cover:

1. Page Top/Bottom padding

Page Top/Bottom Padding

Page Padding Top:

Page Padding Bottom: 30px

Annotation: Page bottom Padding (points to 30px)

Add padding to the top or bottom of the page layout globally. Please use px, em or pt as a suffix to digits.

2. Page Title and Subtitle

Page Title and Subtitle

Page Title Alignment ☰ ☱ ☲ ☳

Page Title Padding Top

Page Title Padding Bottom

Page Title Font Size px

Page Title Font Family

Page Title Font Weight Normal Bold

Page Title Text-transform The text-transform property controls the capitalization of text.

Page Title Text Color ■ Preset Colors ⓘ

Page Title Text Hover Color ■ Preset Colors ⓘ

Page Title Link Text Decoration Define CSS "text-decoration" property for Page Title Link

Page Title Link Hover Text Decoration Define CSS "text-decoration" property for Page Title Link on hover

Page Title Link Color ■ Preset Colors ⓘ

Page Title Link Hover Color ■ Preset Colors ⓘ

Page Subtitle Font Size px

Page titles and sub titles settings

3. Breadcrumbs Settings

Breadcrumbs

Breadcrumbs Alignment ☰ ☱ ☲ ☳

Breadcrumbs Padding Top

Breadcrumbs Padding Bottom

Breadcrumbs Font Size px

Breadcrumbs Font Family

Breadcrumbs Font Weight Normal Bold

Breadcrumbs Text-transform The text-transform property controls the capitalization of text.

Breadcrumbs Text Color ■ Preset Colors ⓘ

Breadcrumbs Text Hover Color ■ Preset Colors ⓘ

Breadcrumbs Link Color ■ Preset Colors ⓘ

Breadcrumbs Link Hover Color ■ Preset Colors ⓘ

Breadcrumbs Settings

› Step 4. Widget Areas and Widgets

Under this section we'll cover:

Widget area style settings


Set widgets alignment, equal height options and custom background for each area or just leave it transparent with current body background.

Furthermore you can customize widgets per area...

Such as the:

Default widget block. You can customize settings for the Right Sidebar, Left Sidebar, Above Content Block or Below Content Block according to your needs. If you don't set custom settings for each widget area, they will inherit settings from Default Widget Block.

1. Customize Widget Area



Widget Areas and Widgets

Widget Areas Styling Settings

Set Widgets Alignment, Equal Height Options and Custom Background for each area or just leave it transparent with current body background.
Furthermore, customize widgets per area...

Default Widget Block

Customize Widget Area Customize Widgets Styling Customize Widgets Typography Customize Widgets List Styling

Widgets Alignment: [Left] [Center] [Right]

Set Equal Widget Heights: [No] [Yes]

Set Custom Area Background: [No] [Yes] [Parallax]

2. Customize Widgets Styling (leave widget background set to no unless you need a specific background customization select yes and additional options will appear).

3. Customize Widgets Typography

Default Widget Block

Customize Widget Area
Customize Widgets Styling
Customize Widgets Typography
Customize Widgets List Styling

Set Custom Widgets Typography

Click on Yes option to edit

Default Widget Block

Customize Widget Area
Customize Widgets Styling
Customize Widgets Typography
Customize Widgets List Styling

Set Custom Widgets Typography

Widget Title Styling

Title Alignment

Widget Title Margin Top

Widget Title Margin Bottom

Widget Title Font Size

Widget Title Font Family

Widget Title Font Color

Widget Title Font Weight

Widget Title Text-transform The text-transform property controls the capitalization of text.

Widget Title Box Shadow Values Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

Widget Title Box Shadow Color

Widget Title Styling

Widget Content Styling

Content Alignment

Widget Content Font Size

Widget Content Font Family

Widget Content Text Color

Widget Content Link Color

Widget Content Link Hover Color

Widget Content Styling

4. Customize widget list styling

Customize Widget Area
Customize Widgets Styling
Customize Widgets Typography
Customize Widgets List Styling

Set Custom Widgets List Style
No
Yes

Widget List Styling

List Paddings	<input type="text" value="0 0 0 15px"/>	
List Margins	<input type="text" value="0px"/>	
List Content Alignment	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
List Font Size	<input type="text" value="14px Default"/> <input type="text" value="px"/>	
List Font Family	<input type="text" value="Roboto"/>	
List Text Color	<input type="text" value="#949494"/> <input type="color" value="#949494"/> <input type="button" value="Preset Colors"/>	?
List Link Color	<input type="text" value="#949494"/> <input type="color" value="#949494"/> <input type="button" value="Preset Colors"/>	?
List Link Hover Color	<input type="text" value="#df4f57"/> <input type="color" value="#df4f57"/> <input type="button" value="Preset Colors"/>	?
List Link Text Decoration	<input type="text" value="None"/>	Define CSS "text-decoration" property for List Links
List Link Hover Text Decoration	<input type="text" value="None"/>	Define CSS "text-decoration" property for List Links on hover
List Style	<input type="button" value="Default"/> <input checked="" type="button" value="None"/> <input type="button" value="Square"/> <input type="button" value="Circle"/>	
	<input type="button" value="Disc"/> <input type="button" value="FA Icon"/>	

Widget List Styling

› Step 5. Header settings

Under this section the Header settings include:

Default header font settings

Default header link settings

Header Block 1, 2, 3 and 4 settings. Also note that **Header Block Settings** are similar to Widget settings which as demonstrated above.

Note: These settings are mandatory only require customization if you are trying to create some specific layout for the header blocks.

Step 6. Logo and Tagline

Under this section we demonstrate how to customize logo and tagline styles.

Logo and Tagline

Logo Alignment	<input checked="" type="radio"/> <input type="radio"/> <input type="radio"/>
Logo Padding Top	<input type="text" value="51px"/>
Logo Padding Bottom	<input type="text"/>
Choose Logo Heading Tag	<input type="radio"/> H1 <input type="radio"/> H2 <input type="radio"/> H3 <input type="radio"/> H4 <input type="radio"/> H5 <input type="radio"/> H6 <input checked="" type="radio"/> None
Logo Font Size	<input type="text" value="24"/> <input type="text" value="f"/>
Logo Font Family	<input type="text" value="Cabin"/>
Logo Font Weight	<input checked="" type="radio"/> Normal <input type="radio"/> Bold
Logo Text Color	<input type="text" value="#ffffff"/> <input type="text"/> Preset Colors <input type="button" value="i"/>
Logo Text Hover Color	<input type="text" value="#ffffff"/> <input type="text"/> Preset Colors <input type="button" value="i"/>
Logo Link Color	<input type="text" value="#ffffff"/> <input type="text"/> Preset Colors <input type="button" value="i"/>
Logo Link Hover Color	<input type="text" value="#df4f57"/> <input type="text"/> Preset Colors <input type="button" value="i"/>

Logo Styling

Step 7. Navigation

Under this section we demonstrate about how to customize **Navigation and Dropdown Navigation Styling**.

1. Global Menu Settings

Navigation

Global Menu Settings
Menu Styling
Menu Items Styling
Menu Dropdown Styling

Set Menu Alignment, Layout and Font Options

Menu Alignment ☰ ☱ ☲

Add Search to Navigation No Yes

Menu Layout Sticky Menu

Sticky Menu Opacity 0.9

Navigation Link Font Family Cabin

Menu Links Font Weight Normal Bold

Menu Text-transform Uppercase

Navigation Link Font Size 15 f

Menu Items Letter Spacing 1px

Menu Transition Properties background .4s, color .2s

Set Menu Alignment

"Yes" shows the search icon in navigation, "No" turns it off.

Select Navigation Type, e.g. Default, Sticky, Fixed to Top or Fixed to Bottom.

The text-transform property controls the capitalization of text.

The transition property is a shorthand property used to represent up to four transition-related longhand properties. You may comma separate values to do different transitions on different properties

Set opacity (transparency) when sticky menu is selected

2. Menu Styling

Navigation

Global Menu Settings
Menu Styling
Menu Items Styling
Menu Dropdown Styling

Menu Background, Shadow, Margins and Borders

Set Custom Menu Background	<input type="radio"/> No <input checked="" type="radio"/> Yes <input type="radio"/> Parallax	
Menu Background Color	<input type="text" value="#231f2"/> <input type="color"/> <input type="button" value="Preset Colors"/>	<small>1</small>
Menu Hover Background Color	<input type="text" value="#231f2"/> <input type="color"/> <input type="button" value="Preset Colors"/>	
Sticky Menu Background Color	<input type="text" value="#231f2"/> <input type="color"/> <input type="button" value="Preset Colors"/>	<small>2</small>
Menu Background Color Top	<input type="text"/> <input type="color"/> <input type="button" value="Preset Colors"/>	<small>3</small> Use these values to create a linear vertical gradient for menu. Gradient is a blend of top and bottom colors.
Menu Background Color Bottom	<input type="text"/> <input type="color"/> <input type="button" value="Preset Colors"/>	<small>3</small> Use these values to create a linear vertical gradient for menu. Gradient is a blend of top and bottom colors.
Area Background Image	<input type="text"/> <input type="button" value="Upload Image"/>	Enter an URL or upload an image for background.
Area Background Repeat	<input type="text" value="Center No-Repeat"/>	

Menu Shadow

For adding box shadow to menu bar

Menu Box Shadow Values	<input type="text" value="0 1px 5px"/>	<small>Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")</small>
Menu Box Shadow Color	<input type="text" value="#0000C"/> <input type="color"/> <input type="button" value="Preset Colors"/>	<small>4</small>

Set top/bottom colors if you need gradient background for navigation.

Select "Yes" from custom menu background to modify menu top/bottom background colors. Color presets are ideal for this (so you can just change them there globally).

Make sure to add colors for all nav options in sticky menu (otherwise it will be transparent when you scroll down).

1 Use these values to create a linear vertical gradient for menu. Gradient is a blend of top and bottom colors.

2 Use these values to create a linear vertical gradient for menu. Gradient is a blend of top and bottom colors.

Enter an URL or upload an image for background.

{ 21 }


3. Menu Item Styling


Menu Link Styling


Menu Link Margin Top	<input type="text" value="25"/>	Please enter just integer value and the unit is pixel
Menu Link Margin Bottom	<input type="text"/>	Please enter just integer value and the unit is pixel
Menu Link Padding Top	<input type="text" value="28"/>	Please enter just integer value and the unit is pixel
Menu Link Padding Bottom	<input type="text" value="30"/>	Please enter just integer value and the unit is pixel
Menu Link Padding Left/Right	<input type="text"/>	Please enter just integer value and the unit is pixel
Menu Link Divider Width	<input type="text"/>	Please enter just integer value and the unit is pixel
Menu Link Divider Color	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Menu Text Color	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Menu Link Color	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Menu Link Background Color	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Menu Link Background Color Top	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ Use these values to create a linear vertical gradient for menu items. Gradient is a blend of top and bottom colors.
Menu Link Background Color Bottom	<input type="color" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ Use these values to create a linear vertical gradient for menu items. Gradient is a blend of top and bottom colors.
Menu Link Box Shadow	<input type="text"/>	ⓘ Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of


Navigation Link Styling

Menu Link Hover Styling


Menu Link Hover Color  Preset Colors ▾

Menu Link Hover Background Color  Preset Colors ▾

Menu Link Hover Background Color Top  Preset Colors ▾

Menu Link Hover Background Color Bottom  Preset Colors ▾


Menu Link Hover Box Shadow


Menu Link Hover Box Shadow Color  Preset Colors ▾


Navigation Link Hover State Styling


- 1
- 2
- 3 Use these values to create a linear vertical gradient for menu items hover state. Gradient is a blend of top and bottom colors.
- 4 Use these values to create a linear vertical gradient for menu items hover state. Gradient is a blend of top and bottom colors.
- 5 Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

Menu Link Active State Styling

Menu Link Active Color  Preset Colors ▾

Menu Link Active Background Color  Preset Colors ▾

Menu Link Active Background Color Top  Preset Colors ▾


Menu Link Active Background Color Bottom  Preset Colors ▾


Menu Link Active Box Shadow


Navigation Link Active State Styling


- 1
- 2
- 3
- 4
- 5 Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

Menu Toggle Styling

Menu Toggle Hover Background Color  Preset Colors ▾

Menu Toggle Icon Background Color  Preset Colors ▾

Menu Toggle Icon Hover Background Color  Preset Colors ▾

Menu Toggle Border Color  Preset Colors ▾

Navigation Toggle Styling for Responsive, Tablets, Mobile, etc.

- 1
- 2
- 3
- 4

4. Menu Dropdown Styling

Set Dropdown Background and Link Colors

Dropdown Menu Background Color	<input type="text" value="#231f20"/> Preset Colors ▾	<div style="border: 2px solid orange; border-radius: 10px; padding: 5px; display: inline-block; margin-bottom: 10px;">Navigation Dropdown Styling</div> <p>i</p> <p>i</p> <p>i The transition property is a shorthand property used to represent up to four transition-related longhand properties. You may comma separate value sets to do different transitions on different properties (e.g. "width 2s, height 2s").</p> <p>Specifying dropdown menu link height (e.g. "30px")</p> <p>Specifying dropdown menu link padding (e.g. "0 15px")</p> <p>i</p> <p>i</p> <p>The text-transform property controls the capitalization of text.</p>
Dropdown Menu Background Hover Color	<input type="text" value=""/> Preset Colors ▾	
Dropdown Menu Transition Properties	<input type="text" value="0.25s ease-out"/>	
Dropdown Menu Link Height	<input type="text" value="36px"/>	
Dropdown Menu Link Padding	<input type="text" value="0 15px"/>	
Dropdown Menu Link Color	<input type="text" value="#ffffff"/> Preset Colors ▾	
Dropdown Menu Link Hover Color	<input type="text" value="#df4f57"/> Preset Colors ▾	
Dropdown Menu Link Font Family	<input type="text" value="Cabin"/> ▾	
Dropdown Menu Link Font Size	<input type="text" value="15"/> <input type="text" value="px"/> ▾	
Dropdown Menu Links Font Weight	<input checked="" type="radio"/> Normal <input type="radio"/> Bold	
Dropdown Menu Links Letter Spacing	<input type="text" value="1px"/>	
Dropdown Menu Text-transform	<input type="text" value="Uppercase"/> ▾	

Set Menu Dropdown Outer Box Shadow defined by 2-4 length values and color value

Dropdown Menu Box shadow Styling

Dropdown Menu Box Shadow Values	<input type="text" value="0 8px 15px"/>	<p>Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")</p> <p>i</p>
Dropdown Menu Box Shadow Color	<input type="text" value="#0000c"/> Preset Colors ▾	

➤ **Step 8. Footer**

Under this section we demonstrate how to customize top and bottom footer blocks and their respective style/settings.

1. Footer font Settings

Footer

Footer Font Settings

Set Custom Font Family, Font Sizes and Font Colors for Footer Area.

Footer Font Size	14px Default	f ▼
Footer Font Family	Roboto ▼	
Footer Font Weight	Normal Bold	
Footer Text Color	#ffffff <input type="checkbox"/>	Preset Colors ▼ ⓘ
Footer Text Hover Color	<input type="checkbox"/> <input checked="" type="checkbox"/>	Preset Colors ▼ ⓘ
Footer Link Color	#ffffff <input type="checkbox"/>	Preset Colors ▼ ⓘ
Footer Link Hover Color	#df4f57 <input checked="" type="checkbox"/>	Preset Colors ▼ ⓘ

Footer Font Styling

2. Footer Background Settings

Footer Background Settings

Set Custom Background for Footer Area

Set Custom Footer Background

No Yes Parallax

Footer Background Color

#231f2 Preset Colors ▾

Footer Background Image

Upload Image

Footer Background Repeat

Center No-Repeat ▾

Footer Box Shadow Values

Footer Box Shadow Color

Preset Colors ▾

Footer Background Styling

?

Enter an URL or upload an image for background.

Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

?

3. Footer Bottom Font Settings

Footer Bottom Font Settings

Set Custom Font Family, Font Sizes and Font Colors for Footer Bottom Area.

Footer Bottom Font Size

14px Default f ▾

Footer Bottom Font Family

Roboto ▾

Footer Bottom Font Weight

Normal Bold

Footer Bottom Text Color

#ffffff Preset Colors ▾

?

Footer Bottom Text Hover Color

Preset Colors ▾

?

Footer Bottom Link Color

#ffffff Preset Colors ▾

?

Footer Bottom Link Hover Color

#d14f57 Preset Colors ▾

?

Footer Bottom Font styling

4. Footer Bottom Background Settings

Footer Bottom Background Settings

Set Custom Background for Footer Bottom Area

Set Custom Footer Bottom Background

No Yes Parallax

Footer Bottom Background Color

#231f2 Preset Colors ▾

Footer Bottom Background Image

Footer Bottom Background Repeat

Center No-Repeat ▾

Footer Bottom Box Shadow Values

Footer Bottom Box Shadow Color

Preset Colors ▾

Footer bottom Background Styling



Enter an URL or upload an image for background.

Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")



5. Footer Block Settings (footer widget settings).

Footer Block

Customize Area

Customize Widgets Styling

Customize Widgets Typography

Customize Widgets List Styling

Area Height

Define Area Height

Area Top Padding

30px

Define Area Top Padding

Area Bottom Padding

30px

Define Area Bottom Padding

Widgets Alignment

Set Equal Widget Heights

No Yes

Set Custom Area Background

No Yes Parallax

Set Top and Bottom Padding for Footer Area.

6. Footer Font Settings

Customize Area Customize Widgets Styling **Customize Widgets Typography** Customize Widgets List Styling

Set Custom Widgets Typography

Widget Title Styling

Title Alignment

Widget Title Margin Top

Widget Title Margin Bottom

Widget Title Font Size px ▾

Widget Title Font Family ▾

Widget Title Font Color #ffffff ⓘ

Widget Title Font Weight

Widget Title Text-transform ▾ The text-transform property controls the capitalization of text.

Widget Title Box Shadow Values Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

Widget Title Box Shadow Color ⓘ

Footer widget title settings

7. Footer Font Settings

Widget Content Styling

Content Alignment

Widget Content Font Size px ▾

Widget Content Font Family ▾

Widget Content Text Color #ffffff ⓘ

Widget Content Link Color #ffffff ⓘ

Widget Content Link Hover Color #df4f57 ⓘ

Set font, link color, hover, font size, font family and alignment for footer widgets.

8. Footer Bottom Block

Footer Bottom Block

Customize Area Customize Widgets Styling Customize Widgets Typography Customize Widgets List Styling

Area Height [Define Area Height](#)

Area Top Padding [Define Area Top Padding](#)

Area Bottom Padding [Define Area Bottom Padding](#)

Widgets Alignment

Set Equal Widget Heights No Yes

Set Custom Area Background No Yes Parallax

Footer bottom block: adjust height, padding, alignment and background based on your preferences.

› Step 9. Posts/Portfolio Grid Images and Image Overlay Styling

Under this section we'll cover how to customize **Posts/Portfolio Grid Images and Image Overlay Styling**.

1. Set Image Overlay Color and Overlay Button Styling

Set Image Overlay Color and Overlay Buttons Styling

Choose Button's Icon Size

To increase icon sizes relative to their container, use the Large (33% increase), 2X, 3X, 4X, or 5X size.

Button Text Font Family

Button Text Font Size

Button Text Font Weight

Button Text-transform

The text-transform property controls the capitalization of text.

Button Width

ⓘ Set Width for Buttons

Button Height

ⓘ Set Height for Buttons

Button Line Height

ⓘ Set Height for Buttons

Button Margin

Set Margin for Buttons

Button Padding

Set Padding for Buttons

Button Border Width

ⓘ









Button Border Style

Button Border Radius

Button styling and image overlay for post/portfolio Grid, Masonry

2. Set Button Colors

Set Button Colors

Background Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	?
Border Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	?
Text Color	<input type="text" value="#3f3f3f"/>  Preset Colors ▾	?
Text Shadow Values	<input type="text"/>	Syntax is "text-shadow: h-shadow v-shadow blur color none initial inherit;" (e.g. "2px 2px #ff0000")
Box Shadow Values	<input type="text"/>	Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")
Box Shadow Color	<input type="text"/>  Preset Colors ▾	?
Hover Background Color	<input type="text" value="#111111"/>  Preset Colors ▾	?
Hover Border Color	<input type="text" value="#111111"/>  Preset Colors ▾	?
Hover Text Color	<input type="text" value="#ffffff"/>  Preset Colors ▾	?
Hover Text Shadow Values	<input type="text"/>	Syntax is "text-shadow: h-shadow v-shadow blur color none initial inherit;" (e.g. "2px 2px #ff0000")
Hover Box Shadow Values	<input type="text"/>	Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")
Hover Box Shadow Color	<input type="text"/>  Preset Colors ▾	?

Set button colors only for post/portfolio buttons

3. Set Buttons Icon/Text

Set Buttons' Icon/Text

Select icons for buttons

PrettyPhoto Button

Choose Button Icon	<input type="text" value="Picture Outlined"/> ▾	
Set Button Text	<input type="text"/>	This text will be added to the button in combination with icon if icon is enabled in common options above.

Item Button

Choose Button Icon	<input type="text" value="External Link"/> ▾	
Set Button Text	<input type="text"/>	This text will be added to the button in combination with icon if icon is enabled in common options above.

› Step 10. Theme Buttons Settings

Under this section we'll cover how to style your theme's buttons:

1. Set Common Button styling

Theme Buttons

Set Common Button Styling















Button Text Font Family	<input type="text" value="Cabin"/>	<div style="border: 2px solid orange; padding: 5px; display: inline-block;">Set Theme button text styling</div> <p>The text-transform property controls the capitalization of text.</p> <p><small>ⓘ The transition property is a shorthand property used to represent up to four transition-related longhand properties. You may comma separate value sets to do different transitions on different properties (e.g. "width 2s, height 2s").</small></p>
Button Text Font Weight	<input type="radio"/> Normal <input type="radio"/> Bold	
Button Text Letter Spacing	<input type="text" value="2px"/>	
Button Text-transform	<input type="text" value="Uppercase"/>	
Button Border Width	<input type="text" value="1px"/>	
Button Border Style	<input type="text" value="solid"/>	
Button Transition Properties	<input type="text" value="background 0.4s, color 0.2s"/>	

2. Set Buttons Background, Box Shadow and Text Colors

Set Buttons Background, Box Shadow and Text Colors

Primary Button Button

Primary button styling is most important to bring out almost all the essential buttons, like search button etc.

Background Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	
Border Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	
Text Color	<input type="text" value="#ffffff"/>  Preset Colors ▾	
Text Shadow Values	<input type="text"/>	Syntax is "text-shadow: h-shadow v-shadow blur color none initial inherit;" (e.g. "2px 2px #ff0000")
Box Shadow Values	<input type="text"/>	Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")
Box Shadow Color	<input type="text"/>  Preset Colors ▾	
Hover Background Color	<input type="text" value="#ffffff"/>  Preset Colors ▾	
Hover Border Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	
Hover Text Color	<input type="text" value="#df4f57"/>  Preset Colors ▾	
Hover Text Shadow Values	<input type="text"/>	Syntax is "text-shadow: h-shadow v-shadow blur color none initial inherit;" (e.g. "2px 2px #ff0000")

Similarly like Primary button settings, you'll need to customize your:

Secondary Button, White Button, Grey Button, Black Button, Default Button

Make sure you set different colors for secondary and default buttons from primary button color.

If you don't customize the button colors, they will fetch from color schemes from the default bootstrap color variables which you can see [here](#).

Step 11. Social Media Follow Buttons

Under this section we cover how to style social media follow buttons:

1. Set Common Follow Buttons Styling

▼ Social Media Follow Buttons

Set Common Follow Buttons Styling

Show Social Icons in Follow Buttons On Off If turned off you'll have only button text which can be customized in per media options below.

Follow Button Text Font Family

Follow Button Text Font Size

Follow Button Text Font Weight Normal Bold

Follow Button Text-transform The text-transform property controls the capitalization of text.

Follow Button Width ⓘ Set Width for Follow Buttons

Follow Button Height ⓘ Set Height for Follow Buttons

Follow Button Margin Set Margin for Follow Buttons

Follow Button Border Width ⓘ

Follow Button Border Style

Follow Button Border Radius For example for a rounded rectangle for buttons add 6px here.

2. Set Default Follow Button Colors (or enable custom per media styling options using toggle below).

Set Default Follow Button Colors (or enable custom per media styling options using toggle below)

Here you can set the default follow button styling / settings.

Note: if you want to use the same color styling for all buttons, then using this default setting will work. Otherwise, you will need to customize each follow button individually.

Background Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Border Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Text Color	<input type="text" value="#949494"/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Text Shadow Values	<input type="text" value=""/>			ⓘ
Box Shadow Values	<input type="text" value=""/>			ⓘ
Box Shadow Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Hover Background Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Hover Border Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Hover Text Color	<input type="text" value="#df4f57"/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ
Hover Text Shadow Values	<input type="text" value=""/>			ⓘ
Hover Box Shadow Values	<input type="text" value=""/>			ⓘ
Hover Box Shadow Color	<input type="text" value=""/>	<input type="checkbox"/>	Preset Colors ▾	ⓘ

Syntax is "text-shadow: h-shadow v-shadow blur color[none|initial|inherit];" (e.g. "2px 2px #ff0000")

Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

Syntax is "text-shadow: h-shadow v-shadow blur color[none|initial|inherit];" (e.g. "2px 2px #ff0000")

Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")

3. Set Custom (per media) Follow Button Styles

Set Custom (per media) Follow Button Styles

Set Custom Follow Buttons Styles No Yes

› Step 12. Social Media Share Buttons

Under this section we cover how to style social media **share** buttons:

Note: Enable (Yes) to show social icons for sharing buttons. If not enabled they will not show.

▼ Social Media Sharing Buttons

Set Common Sharing Buttons Styling

<p>Show Social Icons in Sharing Buttons <input type="checkbox"/> On <input checked="" type="checkbox"/> Off</p> <p>Choose Icon Size <input type="button" value="Default"/> <input checked="" type="button" value="1.33X (Large)"/> <input type="button" value="2X"/> <input type="button" value="3X"/> <input type="button" value="4X"/> <input type="button" value="5X"/> </p> <p>Sharing Button Text Font Family Cabin ▼</p> <p>Sharing Button Text Font Size 14px Default <input type="button" value="px"/> ▼</p> <p>Sharing Button Text Font Weight <input checked="" type="button" value="Normal"/> <input type="button" value="Bold"/></p> <p>Sharing Button Text-transform None ▼</p> <p>Sharing Button Width 30px</p> <p>Sharing Button Height 30px</p> <p>Sharing Button Margin 10px 10px 10px 0</p> <p>Sharing Button Border Width 0px</p> <p>Sharing Button Border Style solid ▼</p> <p>Sharing Button Border Radius 0 Default</p>	<p>If turned off you'll have only button text which can be customized in per media options below.</p> <p>To increase icon sizes relative to their container, use the Large (33% increase), 2X, 3X, 4X, or 5X size.</p> <p>The text-transform property controls the capitalization of text.</p> <p>ⓘ Set Width for Sharing Buttons</p> <p>ⓘ Set Height for Sharing Buttons</p> <p>Set Margin for Sharing Buttons</p> <p>ⓘ</p>
--	--

Customize as desired.

› Step 13. Blog Post Format Buttons

Under this section we'll cover how to style the **Blog Post** format colors:

1. Set Common Post Format Buttons Styling









▼ Blog Post Format Buttons

Set Common Post Format Buttons Styling

Show Social Icons in Post Format Buttons	<input checked="" type="checkbox"/> On <input type="checkbox"/> Off	If turned off you'll have only button text which can be customized in per format options below.
Choose Icon Size	<input type="button" value="Default"/> <input checked="" type="button" value="1.33X (Large)"/> <input type="button" value="2X"/> <input type="button" value="3X"/> <input type="button" value="4X"/> <input type="button" value="5X"/>	To increase icon sizes relative to their container, use the Large (33% increase), 2X, 3X, 4X, or 5X size.
Post Format Button Text Font Family	<input type="text" value="Cabin"/>	
Post Format Button Text Font Size	<input type="text" value="14px Default"/> <input type="text" value="px"/>	
Post Format Button Text Font Weight	<input checked="" type="button" value="Normal"/> <input type="button" value="Bold"/>	
Post Format Button Text-transform	<input type="text" value="None"/>	The text-transform property controls the capitalization of text.
Post Format Button Width	<input type="text" value="40px"/>	Set Width for Post Format Buttons
Post Format Button Height	<input type="text" value="40px"/>	Set Height for Post Format Buttons
Post Format Button Margin	<input type="text" value="0 10px 0 0"/>	Set Margin for Post Format Buttons
Post Format Button Border Width	<input type="text" value="1px"/>	
Post Format Button Border Style	<input type="text" value="solid"/>	
Post Format Button Border Radius	<input type="text" value="0 Default"/>	

2. Set Common Post Format Buttons Styling

Set Default Post Format Button Colors (or enable custom per format styling options using toggle below)

Background Color	<input type="text" value=""/>		Preset Colors ▾	?
Border Color	<input type="text" value="#949494"/>		Preset Colors ▾	?
Text Color	<input type="text" value="#949494"/>		Preset Colors ▾	?
Text Shadow Values	<input type="text" value=""/>			Syntax is "text-shadow: h-shadow v-shadow blur color[none initial inherit]" (e.g. "2px 2px #ff0000")
Box Shadow Values	<input type="text" value=""/>			Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")
Box Shadow Color	<input type="text" value=""/>		Preset Colors ▾	?
Hover Background Color	<input type="text" value=""/>		Preset Colors ▾	?
Hover Border Color	<input type="text" value="#df4f57"/>		Preset Colors ▾	?
Hover Text Color	<input type="text" value="#df4f57"/>		Preset Colors ▾	?
Hover Text Shadow Values	<input type="text" value=""/>			Syntax is "text-shadow: h-shadow v-shadow blur color[none initial inherit]" (e.g. "2px 2px #ff0000")
Hover Box Shadow Values	<input type="text" value=""/>			Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")
Hover Box Shadow Color	<input type="text" value=""/>		Preset Colors ▾	?

› Step 14. Blockquote Customization Settings

Under this section we cover how to style Blockquote section:

1. Blockquote Styling

▾ Blockquote

Blockquote Padding	<input type="text" value="15px 30px"/>	<div style="border: 2px solid orange; border-radius: 10px; padding: 5px; display: inline-block;">Blockquote styling</div>
Blockquote Margin	<input type="text" value="0 0 10px"/>	
Blockquote Font Size	<input type="text" value="14px Default"/> px ▾	
Blockquote Font Family	<input type="text" value="Cabin"/> ▾	
Blockquote Font Weight	<input checked="" type="radio"/> Normal <input type="radio"/> Bold	
Blockquote Text-transform	<input type="text" value="Capitalize"/> ▾	The text-transform property controls the capitalization of text.
Blockquote Text Color	<input type="text" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Blockquote Text Hover Color	<input type="text" value=""/> <input checked="" type="checkbox"/> Preset Colors ▾	ⓘ
Blockquote Link Text Decoration	<input type="text" value="None"/> ▾	Define CSS "text-decoration" property for Blockquote Link
Blockquote Link Hover Text Decoration	<input type="text" value="None"/> ▾	Define CSS "text-decoration" property for Blockquote Link on hover
Blockquote Link Color	<input type="text" value="#ffffff"/> <input type="checkbox"/> Preset Colors ▾	ⓘ
Blockquote Link Hover Color	<input type="text" value="#df4f57"/> <input checked="" type="checkbox"/> Preset Colors ▾	ⓘ
Author Font Size	<input type="text" value="14px Default"/> px ▾	
Author Font Family	<input type="text" value="Cabin"/> ▾	

2. Blockquote Background Settings

Blockquote Background Settings

Set Custom Background for Blockquote Box

Set Custom Blockquote Box Background

No Yes Parallax

Box Background Color

  Preset Colors ▾

Box Background Image

  Upload Image

Box Background Repeat

 ▾

Box Shadow Values

Box Shadow Color

  Preset Colors ▾

Border Radius

Border Width

Widget Border Style

 ▾

Border Color

  Preset Colors ▾

Blockquote Background Styling



Enter an URL or upload an image for background.

Specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow (e.g. "0 1px 5px" or in case of inset shadow "inset 0 1px 5px")



Please enter just integer value and the unit is pixel

Please enter just integer value and the unit is pixel



➤ **Step 14. How to add widgets to header blocks and sidebars**

The screenshot displays the WordPress theme customizer interface. On the left, the 'Available Widgets' section lists various widgets such as 'SDF Address', 'SDF Audio', 'SDF Category Archives', 'SDF Category Subcategories', 'SDF Collapse Menu', and 'SDF Contact Form'. In the center, the 'Create Unlimited Sidebars' section features a 'Create Custom Sidebar' button. To the right, the 'Right Sidebar' panel shows a list of widgets including 'Search', 'Recent Posts', 'Recent Comments', 'Archives', and 'Slider Block'. Annotations with orange boxes and arrows highlight the 'Right sidebar widgets area' and 'Header blocks'.

- Add widgets to left, right, above content, below content, header blocks, footer or unlimited sidebars using the SDF widgets section under **Appearance** ➤ **Widgets**.

Once you've completed your theme customizations, then you can **Save Your Settings/Skin** under **SEO Design > Global Settings > Import/Export Reset Theme Options Chevron** > and Click the **Export Theme Button**.

- Social Media Share Buttons
- WooCommerce
- Admin Toolbar
- HTML5 Boilerplate's and 5G Blacklist's .htaccess Addition
- Placeholders
- Maintenance Mode
- Export/Import/Reset Theme Options

Choose to Import, Export or Reset Theme Options

This is Options Export Code

```
YToxNTp7czo2OjJwcmVzZXQiO2E6Mjp7czoMzoid
GhIbWVfcHJlc2V0cy17YToxOntpOjE7czoMToiRGV
mYXVsdCBTREYiO31zOjEyOj0aGvtZV9wcmVzZXQi
O3M6MToiMSI7fXM6MTA6Im5hdmlnYXRpb24iO2E
6MTp7aToxO2E6ODp7czoNzoidG9nZ2xlX2N1c3R
vbV9uYXYiO3M6MToiMCI7czoNToiY3VzdG9tX25h
dl9uYW1lIjtzOjE4Oj3cHUtc2VsZWNOLEWRIZmF1bH
QiO3M6MTE6Im1lbnVfbGF5b3V0IjtzOjExOjZdGjIja3
```

You can copy this code and save these theme settings or download it in export file below

Download Options Export File

- Automatic Theme Updates

And that's it. Now you can use the exported notepad file to add your SDF Skin to any SEO Design Framework installation.